# Caeleste White paper

ELFIS true HDR, GS, BSI, radhard imager



#### History record

20190403	B.Dierickx, A.Klekachev	creation
20190420	B.Dierickx	overall updates
20190426	B.Dierickx, A.Kalgi	updates on electrical performances
20190705	B.Dierickx, P.Stampoglis, A.Klekachev	HDR movie
20191217	B.Dierickx	update after Toulouse workshop
20191224	B.Dierickx, A.Klekachev	updated noise measurements



#### References and other publications

- A.Kalgi & al. "European low flux CMOS image sensor", CNES workshop, Toulouse, November 2017
- B.Dierickx & al. "A rad hard, global shutter, true HDR, backside illuminated image sensor", CNES Workshop, Toulouse, 26 Nov 2019.
- US patent 9819882, Granted 20171114, "Global shutter high dynamic range sensor".

21 February 2020

## White paper outline

caeleste

- 1. Key features
- 2. HDR+GS images
- 3. HDR+GS movie
- 4. Datasheet

Appendix: HDR+GS operation

Key features

#### justification

The ELFIS imager is the *first image sensor ever* combining following features

- 1. True HDR or "MAF HDR" (Motion Artifact Free High Dynamic Range)
- 2. IWR Global shutter using GS CMOS technology, which
  - ⇒ Allows low noise readout by the use of CDS (correlated double sampling)
  - ⇒ Enabling Global Shutter without dark current penalty
- 3. BSI (Backside illumination) realizing near 100% QE (quantum efficiency) x FF (fill factor)
- 4. TID (total ionizing dose) radiation hard design

It is developed under ESA contract 4000116089 "European Low Flux Image Sensor", in collaboration with LFoundry (I) and Airbus (F)

#### Key specifications measured on Rev.A

#### Geometry

- ✓ 15µm pixel pitch
- √ 1920x1080 pixels
- Leftmost 16 columns are test pixels and reference pixels
- √ 16 parallel differential output channels
- ✓ BSI
- Stitching compatible design

#### Electrical performance

- √ 40MHz nominal pixel rate per output channel
- √ 500mW at max speed

#### Electro-optical

- ✓ Q<sub>FW</sub> 6000e and 160000e in IWR; 6000e and 320000e in ITR
- ✓ Q<sub>noise</sub> 11e<sub>RMS</sub> in nominal operation (IWR)
- √ Q<sub>noise</sub> 6e<sub>RMS</sub> in low noise operation mode (IWR)
- √ Peak QE > 90%
- ✓ MTF >60% for thin layer BSI
- ✓ PLS >200:1 for thin layer BSI, >500:1 for thick epi\*
- ✓ I<sub>dark</sub> @RT: PPD:60e/s SN:80e/s FD=140e/s


Dynamic range in global shutter, low noise mode IWR


- ✓ ITR: 160000:6.0 = 87.8dB
- ✓ IWR: 320000:6.0 = 93.8dB

<sup>\*</sup> Estimated not measured

#### **ELFIS** pixel

This is not the real radhard ELFIS pixel layout. It is a representative non-radhard variant.






#### ELFIS PCB/CoB

This figure shows (a FSI = frontsideilluminated version of) the ELFIS on its characterization CoB (chip-on-board).

The PCB is goldplated for wire bonding and has no solder mask to avoid outgassing in the vacuum setup.


The only passives required are capacitors, for decoupling of the various voltage supplies and stabilization of the on-chip generated DC voltages.




## ELFIS photo response of HG and LG signals



#### Raw data of both signal ranges



## After applying a gain factor on the LG data



ELFIS pixels convert the integrated photocharge almost simultaneously on two conversion capacitances, resulting in the simultaneous availability of a "high gain" and "low gain" signal. These are read out over the same channels time-multiplexed within the row time.

#### Some terminology

We call the high gain signal the "low  $Q_{FW}$  range", and the low gain signal the "high  $Q_{FW}$  range".

A "frame" is the collection of one signal for all pixels.

A "pass" is the time needed to readout one signal for all pixels.


2.
HDR images

#### Setup

We took the first HDR images from within out lab looking to sunlit buildings at the other side of the Michiel Coxystraat. The dark part of the scene consisted of a black PC keyboard, a spray can and a white coffee cup.

The Elfis PCB carries a black plastic lens mount with a Nikon 55mm lens, diaphragm set to 22 (! Indeed this 15µm BSI pixel is really light sensitive).

All images are taken in IWR (global shutter "integrate while read"), with  $t_{frame} = t_{int} = 30 \text{ms}$ .



## Processing the LG and HG (sub-)frames into a HDR frame Ste





 $(1.977 \times 10^3, 1.599 \times 10^3); 0.0025$ 

High gain (HG) sub-frame

Here we show the two simultaneous frames of one image, being the HG and LG "subframes" of the same integrated photocharge.

Image processing done here:

In the HG sub-frame on-chip CDS and offchip dark frame subtraction is done. In the LG sub-frame only dark frame subtraction is done.

No PRNU calibration, no linearity correction, no bad pixel or cosmetic corrections are executed.

Low gain (LG) sub-frame


The HDR frame is calculated pixel per pixel as follows:

- → If HG pixel value < 80% of saturation, use that HG value
- → Otherwise use LG \* gain factor


  For demonstration; smoother algorithms exist see further

#### Displaying the HDR frame

The resulting HDR image (HDR frame) is stored with 16 bit pixel values. However, when displaying it by truncation to 8 bit values, the dark parts of the resulting image display as very dark grey or black



The "raw" histogram



The "equalized" histogram

For display purposes on does "histogram equilization", resulting in a +/- constant distribution of grey values over the image.

Better alternatives exist depending on the purpose and application.



## Smooth merging of HG and LG

caeleste


Just combining HG and LG frames at HG saturation results in a PR discontinuity at that point unless a very accurate PRNU calibration is done beforehand, even then leaving an increased noise at the cut point.

A better way to merge the HG and LG frames into a singe HDR frame is to use smooth interpolation, exemplified at the right.

Pixels with the HG signal above 75% of HG saturation take the LG signal (with PRNU calibrated gain factor).

Pixels below 50% of HG saturation take the HG value.

Between 50% and 75% one applies a weighted average.



HDR movie
(few frames out of a continuous sequence)

See also <a href="https://www.youtube.com/watch?v=\_SUg1v9ZSjl">https://www.youtube.com/watch?v=\_SUg1v9ZSjl</a>

- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display



- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display



- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display



- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display



- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display



- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display




- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display




- ✓ IWR  $t_{frame} = t_{int} = 30 ms$
- ✓ Nikon 28mm lens, diaphragm set to 22 (sic!)
- ✓ CDS & dark frame subtraction
- ✓ No PRNU correction, no linearization.
- ✓ The HDR image created by weighted interpolation between the HG and the LG frames
- ✓ The image is "histogram equalized" for display

Artifact is explained by partly illuminated scene non-linearly emphasized by histogram equilization



4 Datasheet

## ELFIS pinconfiguration (FSI view)



## RevA measured temporal noise


	Shutter mode	Pixel clock [MHz]	Oversampling	Column gain*	S2D gain*	S2D low noise mode	Noise electrons [e <sub>RMS</sub> ]
Nominal operation	GS IWR	40	No	No	No	No	11
Slow mode	GS IWR	20	No	No	No	No	9.8
Low_noise	GS IWR	20	No	No	No	Yes	7.8
Oversampling	GS IWR	20	4 times	No	No	No	7.0
Oversampling & Low_noise	GS IWR	20	4 times	No	No	Yes	6.1
Oversampling	GS IWR	20	15 times	No	No	No	5.8
Oversampling & Low_noise	GS IWR	20	15 times	No	No	Yes	5.4

#### **Conditions**

- RevA sensor split 7E, BSI
- Room temperature, t<sub>int</sub> = about 90ms in all listed cases, includes DCSN
- Global shutter, IWR
- CVF obtained by best fit to mean variance plot
- "Low\_noise" is a high C, low speed operation point of the S2D amplifier
- \*Amplifier gain results are not listed as inconsistent

## appendix HDR+GS pixel operation

#### HDR by combining two "normal" DR ranges



This graph is the "Noise versus Signal" relation of a two range image sensor pixel, i.c. the ELFIS pixel.

Each  $Q_{FW}$  range on its own has such relation. The dynamic range (DR) is defined as the ratio of the largest, near saturation, photocharge ( $Q_{FW}$ ) and the noise equivalent photocharge ( $Q_{noise}$ ) in the dark. When the two signals are combined into one "HDR" signal, it has such relation as well, and an overall dynamic range that is equal to the LG  $Q_{FW}$  divided by the HG  $Q_{noise}$ .

High Q<sub>FW</sub> range:

DR=320000/50≈6400:1

Low Q<sub>FW</sub> range:

 $DR=6000/6,5 \approx 1000:1$ 

Combination

DR= $320000/6,5 \approx 93,8dB$ 

## Operation of the ELFIS HDR+GS pixel, simplified

For the sake of clarity we explain the ELFIS pixel operation using a simplified version of its topology as shown at the right.

On the next slide we show a vertical cross section of this pixel along the red dashed line.

On the slides thereafter we show the potential diagram in the Silicon along the dashed red line, from FD to FD.

**Abbreviations** 


PPD: pinned photodiode

SN: storage node TG: transfer gate(s)

FD: floating diffusion CN: capacitor node


M: merge transistor

VDDpix: pixel supply voltage





#### Cross-section along the red line



(remark that the FD node appears twice in this drawing)


Photo-electrons generated in the Silicon are collected in the PPD during the "integration time" t<sub>int</sub>.


If the amount of integrated charge is below the maximum charge handling capacity of the PPD, it will be stored there (colored blue in the next slides).

If the amount of charge exceeds that maximum amount (colored red in the next slides), it will overflow over TG3 in to the capacitor C, where it is stored for later readout.

During integration photocharge is accumulated in the photodiode. The TG3 gate voltage is set to the intermediate "overflow barrier" operation point. When the photodiode is too full, charge overflows to the capacitor node blue: charge fitting in the PPD


red: charge overflowing into the capacitor node.






#### End of integration time:


- 1) stop overflow over TG3
- 2) transfer PPD (blue) charge to the SN using TG1






#### End of integration time:


- 1) stop overflow over TG3
- 2) transfer PPD (blue) charge to the SN using TG1






#### Turn TG1 off again

in principle the next t<sub>int</sub> can start now.





PPD


SN

TG3

CN


As the photocharge of the previous integration time is now in available in the SN and the CN, if can be read out. The readout of the imager happens row-by-row or in "rolling readout". The select transistors of the rows to be read out are activated, the reset transistors are turned off, and then three voltage levels are put on the column bus: "R1", "S1" and "S2".


"R1" is reset level as present on the FD immediatedly after releasign the reset.



Then the gate TG2 toggled off-on-off, allowing the charge in the SN to transfer to the FD.

This is the "S1" signal level, representing the "blue" charge.






PPD

TG3

This is the "S1" signal level, representing the "blue" charge. In the ELFIS imager, "R1" and "S1" are output as a combined differential signal (S1-R1) & (R1-S1). In this way we perform "CDS" (correlated double sampling), a technique that cancels the FD's kTC noise and reduces the FPN (fixed pattern noise).




PPD

TG3


Then the Merge transistor is closed, shunting the FD and the CN. All photocharge, previously divided over the SN (blue) and the CN (red) is now reunited.


This signal is "S2", being the LG or high  $Q_{FW}$  signal level. We do not apply CDS on S2; still S2 is readout differentially as (S2-ref)&(ref-S2).




After the readout, FD, SN and CN are reset, i.e. emptied and ready for a next readout cycle.

Note that the PPD was already empty or flushed before and has started a new integration cycle.





The operation of the pixel is closed. We are now back at the initial state where photocharge is integrate in the PPD; and where overflow charge is allowed to overflow to the CN.



The real ELFIS pixel is more complicated. It has two sets of TG3, CN and M. Such allows true "IWR" (integrate while read). Odd and even frames store their overflow charges alternatingly on one of the two CNs.

